


EXHIBIT T

[Click here and type return address and phone and fax numbers]

Tiffany & Co.**Fax****To:** CHRIS AMUNDSEN **From:** BRUCE MOGEL**Fax:** 201 391 8158 **Pages:** 2**Phone:** _____ **Date:** 1/11/2007**Re:** LOAD DATA MANHASSET **CC:** _____ **Urgent** **For Review** **Please Comment** **Please Reply** **Please Recycle****Comments:**



REMOTE LIGHTING CONTROL DIAGRAM
TYPICAL FOR TWO (2) SYSTEMS
NET TO GROUND

△ 2-09-99 REVISED AS CIRCLED • BULLETIN 1

△ 1-26-98 ISSUED FOR CONSTRUCTION

△ 1-26-98 REVISED AS CIRCLED • BULLETIN 1

△ 1-27-97 ISSUED FOR PRELIMINARY

△ date issued/revision


TIFFANY & CO.
The Americans

Manhattan, New York

Levi, Sanchek and Associates Architects, P.C.
32 West 22nd Street New York, NY 10010
Tel (212) 507-7578 Fax (212) 691-3326

M. CHETRIT CONSULTING ENGINEERS
35 WEST 45TH STREET
NEW YORK, NY 10036
(212) 781-3537
Fax (212) 914-1718
For (201) 793-4470

Martin Shaffer Associates
Architectural lighting design
103 Union Street
Newark, NJ 07105
(201) 793-7077
Fax (212) 914-1718



RISER DIAGRAM, PANEL

scale	1/8" = 1'-0"	lab not
drawn by	dwg. no.	
checked by		
date	12-09-07	E-6

LOAD TYPE		CONNECTED KWH	SPACE NO. 1000-10000 SQ.FT. PRODUCING 1000-10000 LUMEN/ GND LEVEL	
SPACE LIGHTING		300.0 KWH		
SUPPLY AIR HEATING		150.0 KWH		
BURN LIGHTING		10.0		
REFRIGERATORS		45.0		
WATER HEATING		-		
TOILET EXHAUST FAN (HP)		10.0 KWH		
SPECIAL APPLIANCES OR EQUIPMENT APPL. 4 UPS	3.0			
HAZARDOUS INDICATED	ELLEVATOR	45.0		
SPACE HEATING		-		
AIR CONDITIONERS (HP) OR FAN		13.0		
FAN COIL UNIT (HP)		-		
EXHAUST HOOD FAN (HP)		-		
MAKE-UP AIR FAN (HP)		-		
LARGEST MOTOR 3..... TOTAL MOTOR CAP? (440)				
TRANSPORTER SIZE (KWH OR KVA - INDICATE)		-		
TOTAL CONNECTED LOAD (KWH)		265 KWH		
TOTAL SIMULTANEOUS LOAD (KWH)		110 KWH		
MANAGED AT 3 HOURS OR MORE				
FOOTNOTE: ATTACH SEPARATE SHEET OUTLINING EQUIPMENT NAME, LOCATION, KWH OR KVA, ETC.				
PREPARED & CERTIFIED BY:				
THIS TABLE FOR LANDLORD'S USE				
120V/60 VOLTS, 3 PHASE, 4 WIRE TO TENANT SPACE PROVIDED BY THE LANDLORD FOR LIGHTING AND POWER				
CONDUCTORS (2) SETS OF 4 500 MCM+ GND+ LG CONDUIT 2- 3 1/2" C				
SWITCH 120/208A RHE 800A KRFCA				

TENANT ELECTRICAL LOAD DATA